

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Rs.	Rs.		Rs.		
3	Roconstruction of damaged Puthakudy head sluice (infall) in Thalaganian North Channel.	8,22,832	16,457	Class-IV and above.	500 + VAT @ 4%	Three (3) months.	The Assistant Engineer MI (North).
4	Strengthening and raising the left bank and right bank of Vizhakattery Channel in Pandaravadai.	5,59,554	11,191	Class-V and above.	500 + VAT @ 4%.	Two (2) months.	The Assistant Engineer MI (North).

NIT can be either purchased on payment of cost of tender schedule in the prescribed form on all working days during office hours or by downloading from the official website noted below but conditions as mentioned in the tender notice published in the website will apply for the all contractors.

- (i) Last date and time for receipt of applications . . . 8-9-2009 up to 4.00 p.m.
for issue of NIT.
- (ii) Last date and time for receipt of tender . . . 11-9-2009 up to 3.30 p.m.

The tender notice is uploaded in the website www.pondicherryPWD.org/english and <http://karaikal.gov.in> and whereas the NIT can be downloaded in www.pondicherryPWD.org/english.

EXECUTIVE ENGINEER.

அரியாங்குப்பம் கொம்புன் பஞ்சாயத்து

ஆபத்தான நிறுவனங்கள்

அறிவிப்பு

கீழ்க்கண்ட நபர் அரியாங்குப்பம் கொம்புன் பஞ்சாயத்து எல்லைக்குள் பின்வரும் தொழில் நிறுவனத்தை அமைத்துக்கொள்ள இக்கொம்புன் பஞ்சாயத்தின் உத்தரவு வேண்டுகிறார்.

வரிசை எண்	விண்ணப்பதாரரின் பெயர் மற்றும் முகவரி	நிறுவனம் அமைய உள்ள இடத்தின் முகவரி	உத்தேசிக்கப்பட்டுள்ள நிறுவனத் தயாரிப்பு/செய்முறை	தேவையான மின் திறன்	ஆட்களின் எண்ணிக்கை
(1)	(2)	(3)	(4)	(5)	(6)
1	திரு V. ஜெனார்தனன், எண் 2, மடுகரை மெயின் ரோடு, தேடுவார்நத்தம், சிங்கிரிகோயில் அஞ்சல், அரியாங்குப்பம், புதுச்சேரி-7.	M/s. ஜே. என். டிட்டர்ஜென்ட், மறு அளவை எண் 7/10 எண் 2, மடுகரை மெயின் ரோடு, தேடுவார்நத்தம், அரியாங்குப்பம், புதுச்சேரி-7.	டிட்டர்ஜென்ட் கேக்,	3 குதிரைத் திறன்	3 (பொது பணிமுறை).

1973-ஆம் ஆண்டு புதுச்சேரி கிராமம் மற்றும் கொம்யூன் பஞ்சாயத்துக்கள் சட்டத்தின் மூலமாய் புதுச்சேரி ஒன்றியத்து ஆட்சிப்பரப்பில் அமுலாக்கப்பட்ட புதுச்சேரி கொம்யூன் பஞ்சாயத்துக்கள் (உரிமம் மற்றும் அனுமதி அளித்தல்) விதிகள், 1976, பிரிவு 11-ன்படி இத்தொழில் நிறுவனத்தை நிறுவுவதினால் உண்டாகும் ஆட்சேபணைகள் ஏதேனும் இருந்தால், அவற்றை இந்த அறிவிப்பு வெளியான தேதியிலிருந்து பத்து நாட்களுக்குள் அரியாங்குப்பம் கொம்யூன் பஞ்சாயத்து ஆணையர் அவர்களுக்கு எழுத்து மூலமாய் தெரியப்படுத்தும்படி கேட்டுக்கொள்ளப்படுகிறது.

குறிப்பிட்ட காலவரையறைக்குள் பெறப்பட்ட ஆட்சேபணைகள் அரியாங்குப்பம் கொம்யூன் பஞ்சாயத்து மன்றத்தால் பரிசீலிக்கப்படும்.

அரியாங்குப்பம், 2009 *வெப் ஆகஸ்ட் மீ 25* உ.

அ. ஜெயபாலன்,

ஆணையர்.

ARIANKUPPAM COMMUNE PANCHAYAT

Ariankuppam, the 25th August 2009.

Dangerous Establishments

NOTICE

The undermentioned person has requested for permission to set up the following industry within the Ariankuppam Commune Panchayat limits as detailed below.

Sl No.	Name and address of the applicant	Address of the industry site	Industry proposed	Power required	No. of workers
(1)	(2)	(3)	(4)	(5)	(6)
1	Thiru V. Janarthanan, No. 2, Madukarai Main Road, Theduvannatham, Singiri Koil (Post), Ariankuppam, Puducherry-7.	M/s. J.N. Detergent, Re-survey No. 7/10, No. 2, Madukarai Main Road, Theduvannatham, Ariankuppam, Puducherry-7	Detergent cake	3 H.P.	3 (General shift).

In conformity with rule 11 of the Pondicherry Commune Panchayats (Grant of Licences and Permissions) Rules, 1976, promulgated in this Union Territory by the Pondicherry Village and Commune Panchayats Act, 1973, objections, if any, to the setting up of the above industry, are invited to reach the Commissioner, Ariankuppam Commune Panchayat within ten days from the date of publication of this notice in the official gazette.

The objections, so received within the specified period will be considered by the Ariankuppam Commune Panchayat Council.

A. JAYABALAN,
Commissioner.